

Birting í opnum aðgangi: Reynsla af birtingarferli fyrir Lancet Public Health

Svava Dögg Jónsdóttir

Bakgrunnur

- BSc í sálfræði og MAS í hagnýtri tölfræði
- Ph.D. í faraldsfræði (2020-) við Miðstöð í Lýðheilsuvísindum
 - Aðstoðarkennari
 - Leiðbeinandi í lokaverkefni
 - Málstofustjóri
 - Fulltrúi doktorsnema
 - Formaður FEDON, félags doktorsnema og nýdoktora við HÍ



Lancet Public Health 2022;
7: e763-74

*Joint last authors

Faculty of Medicine, School of
Health Sciences, University of
Iceland, Reykjavik, Iceland

(S D Jonsdottir MAS,

Prof A Hauksdottir PhD,

Prof T Aspelund PhD,

J Jakobsdottir PhD,

H Runarsdottir MSc,

Prof B Gudmundsdottir PhD,

G Tomasson PhD,

Prof U A Valdimarsdottir PhD,

T Halldorsdottir PhD,

E B Thordardottir PhD); Mental

Health Services, Landspítali,

The National University

Hospital of Iceland, Reykjavik,

Iceland

(Prof B Gudmundsdottir); Unit

of Integrative Epidemiology,

Institute of Environmental

Medicine, Karolinska Institutet,

Stockholm, Sweden

(Prof U A Valdimarsdottir);

Department of Epidemiology,

Harvard T H Chan School of

Public Health, Boston, MA, USA

(Prof U A Valdimarsdottir);

Department of Psychology,

Reykjavik University,

Reykjavik, Iceland

(T Halldorsdottir)

Correspondence to:

Edda Björk Thordardottir,

Centre of Public Health

.....

Risk factors for workplace sexual harassment and violence among a national cohort of women in Iceland: a cross-sectional study

Svava Dogg Jonsdottir, Ama Hauksdottir, Thor Aspelund, Johanna Jakobsdottir, Harpa Runarsdottir, Berglind Gudmundsdottir, Gunnar Tomasson, Unnur Anna Valdimarsdottir, Thorhildur Halldorsdottir*, Edda Björk Thordardottir*

Summary

Background Sexual harassment and violence in the workplace are a serious public health concern for women worldwide with substantial costs due to sick leave and personnel turnover. Yet little is known about the prevalence of sexual harassment and violence at a population level, especially across work sectors. The aim of this study was to investigate the prevalence of workplace sexual harassment and violence by demographic factors and work sectors among Icelandic women.

Methods For this cross-sectional study we analysed nationally representative, de-identified individual-level data from women who had responded to an online survey item about self-labelled current and lifetime workplace sexual harassment or violence as part of the Stress and Gene Analysis (SAGA) study, a cross-sectional nationally representative study done from March 1, 2018, to July 1, 2019. Eligible participants were women who resided in Iceland, were aged between 18 and 69 years, spoke Icelandic, and had a registered address from the Icelandic Population Register or a telephone number from the online 1819 service. We used binomial and Poisson regression analysis to study the cross-sectional association between workplace sexual harassment and violence and demographic factors (eg, age, sexual orientation, and education) and factors relating to the workplace (eg, work schedule), across work sectors.

Findings Of 113 814 eligible women, 104 197 were invited to complete the online survey, of whom 30 403 women responded and were included in the SAGA cohort. 15 799 women answered the item about exposure to workplace sexual harassment or violence. 11 286 [71.4%] of 15 799 women answered the question about sexual orientation that were included in the survey from June, 2018. 5291 (33.5%) of 15 799 of participants reported having experienced workplace sexual harassment or violence during their lifetime, and 1178 (7.5%) in their current workplace. Such exposure in the current workplace was most common among women who were young (age 18–24 years: prevalence ratio [PR] 3.89 [95% CI 2.66–5.71]; age 25–34 years: 3.66 [2.53–5.31]), single (1.27 [1.12–1.43]), and worked shifts (2.32 [2.02–2.67]), with the highest prevalence rates observed among women in work sectors of public figures (15.67 [9.34–25.12]), tourism (15.01 [11.01–20.13]), and the legal system and security (13.56 [7.00–24.66]). Lifetime exposure to workplace sexual harassment or violence was more common among women who belonged to sexual minorities than among heterosexual women (PR 1.35 [1.24–1.46]).

Interpretation Lifetime exposure to workplace sexual harassment or violence seems common among women in a Nordic welfare state. These findings provide nuanced targets for prevention and for public policies aimed at promoting women's safety in the work environment.

- Fyrsta greinin var birt í september 2022.

- Algengi áreitni/ofbeldis

- 33% yfir ævina
- 7.5% á núverandi vinnustað

- Áhættuþættir

- Ungur aldur
- Há menntun
- Vaktavinna

Figure 1. Exposure to workplace sexual harassment or violence in the current workplace with regard to work sector, expressed as prevalence rates and 95% confidence intervals adjusted for age, work schedule and income.





Figure 1. Exposure to workplace sexual harassment or violence in the current workplace with regard to work sector, expressed as prevalence rates and 95% confidence intervals adjusted for age, work schedule and income.



The Lancet Public Health

- Lancet Public Health er ritrynt tímarit í lýðheilsuvísindum
 - Opinn aðgangur – *gold open access journal*
 - Heilsufarslegt- og félagslegt jafnrétti með vísindum
 - Þverfræðilegar rannsóknir sem snerta á lýðheilsu
 - Með 50.0 í impact factor

Af hverju að birta í opnum aðgangi?

- Breiðari lesendahópur = Möguleiki á fleiri tilvitnunum!
 - Þekking aðgengileg vísindamönnum, nemendum og almenning
 - Liðkar fyrir samskiptum vísindamanna
- Til að uppfylla kröfur frá tengdum aðilum
 - Getur verið krafa innan vinnustaðar/skóla/deildar/styrkveitenda
- Samræmist starfsháttum innan fags
 - Mikið/lítið aðgengi að tímaritum eftir fagi
 - Hefð á meðal kollega í fagi

Reynsla af birtingarferli hjá Lancet PH

- Valdi tímaritið í samráði við leiðbeinendur og nefnd
- Viðmið fyrir höfunda:
 - 300 orða hámark í útdrátt
 - 3500 orða hámark í texta
 - 30 heimildir eru hámark
 - 5 myndir eða töflur eru hámark
- Grein skilað inn í gegnum rafrænt kerfi hjá Lancet Public Health
 - Hægt að fylgjast með stöðunni þar

Reynsla af birtingarferli: ritrýni

- Grein var sent til ritrýningar:
 - Fimm vísindamenn fengnir til að ritrýna
 - Tók 4-6 vikur að fá svörin
- Tvær vikur fóru í að svara athugasemdum og skila til baka
 - Nokkrar athugasemdir til viðbótar frá ritstjórn
- Eftir að grein var samþykkt:
 - Author's statements og ICMJE Disclosure Form
- Grein birt í September 2022:
 - um það bil fimm mánuðum eftir að grein var send inn

Gjöld og fjármagn

- Kostnaður við að fá birtingu hjá Lancet er hár:
 - Höfundar greiða um 5000-6000 \$
- Deildin með viðmið varðandi birtingar í opnum aðgangi
 - Deildin sá um umsýslu gjalda
 - Birtingargjöld greidd með styrkfé

Viðbrögð eftir birtingu

- Fjölmiðlar
 - Rúv
 - Fréttablaðið
 - Hlaðvarp hjá Lancet Public Health
- Hægt að fylgjast með:
 - Hversu oft grein hefur verið lesin
 - Hversu oft hefur verið vitnað í hana
 - Hversu oft henni hefur verið deilt

Þriðja hver kona orðið fyrir áreitni í vinnunni

Sunna Karen Sigurpórsdóttir
1. september 2022 kl. 20:00





MÁTTI ÞETTA EINHVERN TÍMANN?

velvirk.is



Lærdómur

- Yfir heildina litið lærdómsrík og jákvæð reynsla
- Gengur hratt fyrir sig svo gott skipulag er mikilvægt:
 - Hafa allar upplýsingar klárar
 - Kynna sér tímaritið vel
 - Hreinsa annað af dagskrá og einbeita sér að ferlinu
- Vera í virku sambandi leiðbeinendur, nefnd og aðra meðhöfunda

Ályktanir

- Góð leið til að ná til breiðari lesendahóps:
 - Þekking aðgengileg öllum
 - Einfaldar öðrum vísindamönnum að vinna með og bæta við efnið
- Góð samskipti við ritstjóra og aðra hjá Lancet PH
- Há birtingargjöld eru ókostur
 - Birtingar háðar styrkfé

Takk fyrir!